


PART NO.	ID MARK	LEAD TIDE DOWN
01		NIL
02		NO.1 ONLY
03		NO.14 ONLY




NOTES :

1. PLATING THICKNESS TO BE PER CUSTOMER'S SPECIFICATION.
2. SEAL AREA TO BE METALLIZED.
3. DIE ATTACH AREA TO BE METALLIZED.
4. LEAD RESISTANCE : 0.35 OHM MAX.

SB0281368-3	S=0 D=14
SB0281368-2	S=0 D=1
SB0281368-1	S=0 D=0

MODIFICATION						NAME	TOLERANCE	DRAWN	CHECKED	APPROVED	DATE
						28 LEAD SIDE BRAZED PACKAGE	UNLESS OTHERWISE SPECIFIED	S.F	T.C	K.M	SEP.05.'78
SCALE		MATERIAL		THIRD ANGLE PROJECTION		DRAWING NO.		SHEET			
4 / 1		AS INDICATED		±.005		KD-78368-E		1/2			
REDRAWN		CHANGED		JUN.23.'92		KYOCERA CORPORATION KYOTO JAPAN		DATE		DRAWN	
				S.F				CHECKED		APPROVED	
				T.C/T.A				K.M			



MODIFICATION						NAME 28 LEAD SIDE BRAZED PACKAGE	TOLERANCE UNLESS OTHERWISE SPECIFIED	DRAWN S.F	CHECKED T.C T.A	APPROVED K.M	DATE SEP.05.'78
						SCALE 10 / 1	MATERIAL				
	REDRAWN	JUN.24.'92	S.F	T.C/TA	K.M		THIRD ANGLE PROJECTION				
	CHANGED	DATE	DRAWN	CHECKED	APPROVED		KYOCERA CORPORATION KYOTO JAPAN	DRAWING NO. KD-78368-E		SHEET 2/2	